

ТЕХНИЧЕСКИЕ ДАННЫЕ ПРОДУКТА

Tolomeo mini table - Led Aluminum



ДИЗАЙН:

Michele De Lucchi , Giancarlo Fassina
2010

МАТЕРИАЛЫ:

Polished aluminium, matt anodised aluminium

ОПИСАНИЕ:

Using Led technology, the attention must be focused not only on energy consumption and light efficiency, but above all on the quality and quantity of the distribution of the light. In fact the advantage of the Led is that it emits 100% light flow into the direct hemisphere, eliminating dispersion and waste in other directions. This means that in order to obtain illuminance of 1250 lux on the work surface, with an incandescent light source a power of 100W is necessary, while with a Led source 10W is sufficient, with a 90% energy saving. Base and cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and supports in polished aluminium. System of spring balancing. 5 direct Led. The code is referred to the body lamp only

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted.

ВЫБРАТЬ

LED	▼
База	▼
Aluminium	▼

КОД ПРОДУКТА

A005600

Вид светового потока



Dimmable +

ТЕХНИЧЕСКИЕ ДАННЫЕ


ХАРАКТЕРИСТИКИ

Наименование продукции: Tolomeo mini table - Led Aluminum
 Код: A005600
 Цвет: Aluminium
 Материал: Polished aluminium, matt anodised aluminium
 Серии: Design

РАЗМЕРЫ

Длина: cm 68
 Высота: cm 54
 Диаметр базы: cm 20
 Максимальная высота: cm 108
 Максимальная длина: cm 102
 Ударопрочность: N/D
 тест раскаленной проволокой: N/D °

РАЗМЕРЫ



ЦВЕТ



ЛАМПЫ ВКЛЮЧЕНЫ В КОМПЛЕКТ

LED Категория: LED
 Ватт: 12W
 Световой поток (lm): 450lm
 Типология: 1
 Цветопередача: N/s
 Цветовая температура (K): 3000K

LUMINAIR

Watt: 10W
 Напряжение: 24V

АКСЕССУАРЫ



TOLOMEO SUPP.TAVOLO
FISSO A004200



TOLOMEO MORSETTO
A004100




TOLOMEO SUPPORTO
TAVOLO TWIN A004300



TOLOMEO BASE D 200 ALL
A008600

Polar curve



Cartesian diagram

